



US00D327248S

United States Patent [19]

[11] Patent Number: **Des. 327,248**

Hotsumi et al.

[45] Date of Patent: **** Jun. 23, 1992**

[54] **BATTERY CHARGER FOR A PORTABLE TELEPHONE SET**

4,963,812 10/1990 Mischenko et al. 320/2
5,028,859 7/1991 Johnson et al. 320/2 X
5,059,885 10/1991 Weiss et al. 320/2

[75] Inventors: **Minoru Hotsumi; Kozo Maemura,**
both of Tokyo, Japan

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[73] Assignee: **NEC Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **546,059**

[57] **CLAIM**

[22] Filed: **Jun. 29, 1990**

The ornamental design for a battery charger for a portable telephone set, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

Dec. 29, 1989 [JP] Japan 1-48303

[52] U.S. Cl. **D13/108**

[58] Field of Search D13/107, 108; 320/23

FIG. 1 is a front elevational view of a battery charger for a portable telephone set showing our new design; **FIG. 2** is a rear elevational view thereof; **FIG. 3** is a top plan view thereof; **FIG. 4** is a bottom plan view thereof; **FIG. 5** is a right side elevational view thereof, the left side being a mirror image thereof; and, **FIG. 6** is a front, top and right side perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 277,662 2/1985 Huntington et al. D13/107
- D. 281,064 10/1985 Scheid D13/107
- D. 297,827 9/1988 Lay D13/108




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

