



US00D327248S

# United States Patent [19]

[11] Patent Number: **Des. 327,248**

Hotsumi et al.

[45] Date of Patent: **\*\* Jun. 23, 1992**

[54] **BATTERY CHARGER FOR A PORTABLE TELEPHONE SET**

4,963,812 10/1990 Mischenko et al. .... 320/2  
5,028,859 7/1991 Johnson et al. .... 320/2 X  
5,059,885 10/1991 Weiss et al. .... 320/2

[75] Inventors: **Minoru Hotsumi; Kozo Maemura,**  
both of Tokyo, Japan

*Primary Examiner*—Susan J. Lucas  
*Assistant Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn,  
Macpeak & Seas

[73] Assignee: **NEC Corporation, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **546,059**

[57] **CLAIM**

[22] Filed: **Jun. 29, 1990**

The ornamental design for a battery charger for a portable telephone set, as shown and described.

[30] **Foreign Application Priority Data**

**DESCRIPTION**

Dec. 29, 1989 [JP] Japan ..... 1-48303

**FIG. 1** is a front elevational view of a battery charger for a portable telephone set showing our new design; **FIG. 2** is a rear elevational view thereof; **FIG. 3** is a top plan view thereof; **FIG. 4** is a bottom plan view thereof; **FIG. 5** is a right side elevational view thereof, the left side being a mirror image thereof; and, **FIG. 6** is a front, top and right side perspective view thereof.

[52] U.S. Cl. .... **D13/108**

[58] Field of Search ..... D13/107, 108; 320/23

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 277,662 2/1985 Huntington et al. .... D13/107
- D. 281,064 10/1985 Scheid ..... D13/107
- D. 297,827 9/1988 Lay ..... D13/108




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

