



US00D327305S

United States Patent [19]

[11] Patent Number: **Des. 327,305**

Rieser

[45] Date of Patent: **** Jun. 23, 1992**

[54] **COMBINED ALARM CLOCK AND TOY**

D. 198,756	7/1964	Spengler	D21/64
D. 224,661	8/1972	Thornell	D21/64
D. 262,980	2/1982	Saitoh	D21/64
D. 280,837	10/1985	Takei	D21/64

[75] Inventor: **Willi Rieser, Augwil, Switzerland**

[73] Assignee: **Eta Sa Fabriques D'ebauches, Grenchen, Switzerland**

[**] Term: **14 Years**

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—McGlew & Tuttle

[21] Appl. No.: **445,344**

[57] **CLAIM**

[22] Filed: **Dec. 4, 1989**

The ornamental design for a combined alarm clock and toy, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

Jun. 12, 1989 [IB] Int'l Pat. Institute **DM/013728**

[52] U.S. Cl. **D21/144; D21/166**


[58] Field of Search **D21/59, 63, 64, 107, D21/144, 150; D10/8; D11/141**

FIG. 1 is a front elevational view of a combined alarm clock and toy showing my new design; FIG. 2 is a side perspective view thereof; FIG. 3 is a front elevational view thereof showing the elements of the design in an exploded condition; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left-side elevational view thereof; and, FIG. 6 is a right-side elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 160,832 11/1950 Bergman D10/8






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6