



US00D327325S

United States Patent [19]

[11] Patent Number: **Des. 327,325**

Strand

[45] Date of Patent: **** Jun. 23, 1992**

[54] **ELECTRODE**

[75] Inventor: **Jerome E. Strand, St. Paul, Minn.**

[73] Assignee: **Minnesota Mining and Manufacturing Company, St. Paul, Minn.**

4,694,835 9/1987 Strand 128/640
 4,715,382 12/1987 Strand 128/802 X
 4,852,571 8/1989 Gadshy et al. 128/640
 4,890,622 1/1990 Ferrari 128/640
 4,893,626 1/1990 Henley et al. 128/640
 4,915,656 4/1990 Alferness 128/639 X
 4,919,148 4/1990 Muccio 128/798

[**] Term: **14 Years**

FOREIGN PATENT DOCUMENTS

[21] Appl. No.: **502,654**

1519782 8/1987 United Kingdom .

[22] Filed: **Apr. 2, 1990**

Primary Examiner—Donald P. Walsh

[52] U.S. Cl. **D24/168**

Assistant Examiner—M. N. Pandozzi

[58] Field of Search D24/168, 187, 191, 200;
128/640, 644, 797, 802, 641, 798, 803, 639

Attorney, Agent, or Firm—Gary L. Griswold; Walter N. Kirn; John H. Hornickel

[56] References Cited

[57] CLAIM


U.S. PATENT DOCUMENTS

The ornamental design for an electrode, as shown and described.

D. 243,476	2/1977	Avery	D24/187
D. 255,149	5/1980	Bevilacqua	D24/187
D. 321,761	11/1991	Shimizu	D24/168 X
3,998,215	12/1976	Anderson et al.	128/641
4,365,634	12/1982	Bare et al.	128/640
4,539,996	9/1985	Engel	128/640
4,554,924	11/1985	Engel	128/640
4,640,289	2/1987	Craighead	128/639
4,643,193	2/1987	Demarzo	128/639
4,657,023	4/1987	Kuhn	128/640
4,679,563	7/1987	Wada et al.	128/640

DESCRIPTION

FIG. 1 is a perspective view of an electrode showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a rear elevational view thereof; and,
 FIG. 7 is a bottom plan view thereof.






FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7