



US00D327616S

# United States Patent [19]

[11] Patent Number: **Des. 327,616**

Owens

[45] Date of Patent: **\*\* Jul. 7, 1992**

[54] **CONCRETE SMOOTHER AND PLACER TOOL**

1,927,196 9/1933 Young ..... 172/371  
2,018,890 10/1935 Heltzel ..... 15/235.4  
4,114,220 9/1978 Pfister ..... 15/235.4

[76] Inventor: **Joe M. Owens, 842 Lake Holiday Dr., Sandwich, Ill. 60548**

[\*\*] Term: **14 Years**

[21] Appl. No.: **361,118**

[22] Filed: **Jun. 5, 1989**

[52] U.S. Cl. .... **D8/45**

[58] Field of Search ..... **D8/10, 11, 14, 45; 15/235.4; 172/371, 381**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 189,433	12/1960	Brunson	.....	D8/10
D. 212,958	12/1968	Golenski	.....	D8/10
D. 240,794	8/1976	Marx	.....	D8/45
D. 265,169	6/1982	Bunnell et al.	.....	D8/10
D. 284,732	7/1986	Hozumi	.....	D8/10
D. 291,611	8/1987	Toth	.....	D8/10
1,306,135	6/1919	Bricker	.....	172/371

**OTHER PUBLICATIONS**

Goldblatt Tools, 1980, p. 4, Concrete Tools.

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Philip Hyder


*Attorney, Agent, or Firm*—Lee, Mann, Smith, McWilliams, Sweeney & Ohlson

[57] **CLAIM**


The ornamental design for a concrete smoother and placer tool, as shown and described.

**DESCRIPTION**


FIG. 1 is a right side elevational view of a concrete smoother and placer tool showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.




*Fig. 1.*




*Fig. 2.*





*Fig. 5.*



*Fig. 6.*

