



US00D327641S

United States Patent [19]

[11] Patent Number: **Des. 327,641**

Hoskinson et al.

[45] Date of Patent: **** Jul. 7, 1992**

[54] **CLIP-HANGER FOR SUSPENDING ARTICLES FROM WALLS**

[75] Inventors: **Marlin J. Hoskinson**, Philadelphia, Pa.; **Eugene M. Lorincz**, Cinnaminson, N.J.

[73] Assignee: **Moore Push-Pin Company**, Wyndmoor, Pa.

[**] Term: **14 Years**

[21] Appl. No.: **376,361**

[22] Filed: **Jul. 6, 1989**

2,636,704	4/1953	Norberg	248/303 X
2,642,638	6/1953	Larrabee .	
2,767,450	10/1956	Overbaugh .	
3,014,597	12/1961	McWheeter	D8/372 X
3,219,302	11/1965	Smith	248/218.3
4,664,350	5/1987	Dodds .	
4,901,962	2/1990	Greer	248/218.3

FOREIGN PATENT DOCUMENTS

21645 of 1905 United Kingdom 248/303

Primary Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—William H. Eilberg

[57] CLAIM

The ornamental design for a clip-hanger for suspending articles from walls, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a clip hanger for suspending articles from walls; showing the first embodiment of our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is top plan view of a second embodiment thereof;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a top plan view of a third embodiment thereof;

FIG. 13 is a front elevational view thereof;

FIG. 14 is a right side elevational view thereof, side opposite being a mirror image;

FIG. 15 is a rear elevational view thereof; and,

FIG. 16 is a bottom plan view thereof.

Related U.S. Application Data

[63] Continuation of Ser. No. 321,731, Mar. 10, 1989, abandoned, and a continuation of Ser. No. 342,443, Apr. 24, 1989, Pat. No. Des. 322,388.


[52] U.S. Cl. **D8/370; D8/367**

[58] Field of Search 248/218.3, 304; **D8/372, D8/370, 367, 373**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 19,322	10/1889	Campbell	D8/372
D. 31,631	10/1899	Rawley	D8/370
D. 32,986	7/1900	Rousseaux	D8/372 X
D. 197,188	12/1963	Anderson .	
D. 225,509	12/1972	Charlton	D8/372 X
265,986	10/1882	Learing	24/103 X
D. 296,759	7/1988	Greenhut et al.	D8/373 X
379,759	3/1888	Bradley	248/218.3
453,126	5/1891	McGill	D8/370 X
873,488	12/1907	De Beaumont	D8/373 X
1,252,862	1/1918	Thompson .	
1,340,180	5/1920	O'Brien .	
1,532,566	4/1925	Young .	
1,690,074	10/1928	King .	
1,843,703	2/1932	Boden .	
2,021,730	11/1935	Jones .	
2,104,612	1/1938	Droll	248/218.3
2,624,201	1/1953	Thomson	248/304 X






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13



FIG. 14




FIG. 16




FIG. 15