



US00D327688S

United States Patent [19]

Ito et al.

[11] Patent Number: Des. 327,688

[45] Date of Patent: ** Jul. 7, 1992

[54] COMBINED TUNER AND AMPLIFIER

[75] Inventors: Masafumi Ito, Tokyo; Minoru Sube, Hachioji; Haruki Takita, all of Tokyo; Hiroyuki Watanabe, Hanno, all of Japan

[73] Assignee: TEAC Corporation, Japan

[**] Term: 14 Years

[21] Appl. No.: 541,293

[22] Filed: Jun. 20, 1990

[30] Foreign Application Priority Data

Dec. 25, 1989 [JP] Japan 1-47299

[52] U.S. Cl. D14/188

[58] Field of Search D14/124, 137, 163, 168,
D14/171, 188-198, 265, 299; 455/344, 347,
350-351

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,534 12/1978 Kato D14/198
D. 269,615 7/1983 Nishiyama et al. D14/198

OTHER PUBLICATIONS

Stereo Review, Jan. 1989, p. 20, Top—Nakamichi receiver model TA-2A.

Stereo Review, Dec. 1988, p. 21, Sansui A/V receiver model RZ-7000.

Radio Shack 1989 Catalog No. 432, p. 16, Top—Stereo receiver.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Andrus, Sceales, Starke & Sawall

[57] CLAIM

The ornamental design for a combined tuner and amplifier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined tuner and amplifier showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top, front and right side perspective view thereof; and,
FIG. 8 is a front elevational view in an on state thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG.6




FIG. 7




FIG. 8

