



US00D327699S

# United States Patent [19]

[11] Patent Number: **Des. 327,699**

Horikiri

[45] Date of Patent: **\*\* Jul. 7, 1992**

[54] CAMERA

[75] Inventor: **Kazuhisa Horikiri, Kanagawa, Japan**

[73] Assignee: **Fuji Photo Film Co., Ltd., Kanagawa, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **521,564**

[22] Filed: **May 10, 1990**

[30] Foreign Application Priority Data

Dec. 11, 1989 [JP] Japan ..... 1-44966

[52] U.S. Cl. .... **D16/209**

[58] Field of Search ..... **D16/200-205, D16/208, 209, 216-218; 354/126, 149.11, 202, 288**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 306,307 2/1990 Suyama et al. .... D16/209

D. 306,453 3/1990 Tanaka et al. .... D16/209  
D. 311,017 10/1990 Yoshida et al. .... D16/209  
D. 314,002 1/1991 Yoshida ..... D16/209  
D. 319,452 8/1991 Shiiba ..... D16/209  
4,557,574 12/1985 Kohno et al. .... 354/288

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Young & Thompson

[57] **CLAIM**

The ornamental design for a camera, as shown.

### DESCRIPTION

FIG. 1 is a perspective view of a camera showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a view thereof from the left of FIG. 2; and,  
FIG. 7 is a view thereof from the right of FIG. 2.




FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7

