



US00D327907S

United States Patent [19]

[11] Patent Number: **Des. 327,907**

Sawa

[45] Date of Patent: **** Jul. 14, 1992**

[54] **PRINTER**

D. 306,744 3/1990 Yomo D18/13
D. 308,695 6/1990 Eto et al. D18/13

[75] Inventor: **Shuzo Sawa, Osaka, Japan**

[73] Assignee: **Sharp Corporation, Osaka, Japan**

[*] Notice: The portion of the term of this patent subsequent to Feb. 25, 2006 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **371,011**

[22] Filed: **Jun. 23, 1989**

[30] **Foreign Application Priority Data**

Dec. 28, 1988 [JP] Japan 63-51364

[52] U.S. Cl. **D18/54**

[58] Field of Search D14/111, 118; D18/13, D18/34, 36; 400/613, 613.2, 613.3, 613.4, 691-694; 364/708

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 291,095 7/1987 Morozumi et al. D18/13
D. 293,247 12/1987 Nakade D14/111

OTHER PUBLICATIONS

Genicom 5010; p. 5.
Canon LBD-8II Laser Beam Printer brochure; 1987; cover photo.


Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert

[57] **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a printer taken from the top, front right side showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a left side elevational view thereof.






FIG. -1




FIG. -2




FIG. -3




FIG. -4




FIG. -5




FIG.-6




FIG.-7