



US00D328035S

United States Patent [19]

[11] Patent Number: **Des. 328,035**

Benton

[45] Date of Patent: **** Jul. 21, 1992**

[54] **CLOCK**

[75] Inventor: **Michael Benton**, Broken Arrow, Okla.

[73] Assignee: **Selco Industries, Inc.**, Tulsa, Okla.

[**] Term: **14 Years**

[21] Appl. No.: **752,337**

[22] Filed: **Aug. 30, 1991**

D. 115,072	5/1939	Shillaber	D10/31
D. 189,539	1/1961	Fitzsimonds	D10/18
D. 215,956	11/1969	Johnson	D10/1
D. 218,947	10/1970	Worthington	D10/1
D. 237,696	11/1975	Haydon	D10/1
D. 241,629	9/1976	Felske	D10/1
D. 247,740	4/1978	Brady	D10/18

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Sixbey, Friedman, Leedom & Ferguson

Related U.S. Application Data

[62] Division of Ser. No. 359,420, May 31, 1989, Pat. No. D. 324,499.

[52] U.S. Cl. **D10/18; D10/21**

[58] Field of Search **D10/1-40, D10/122-132; 368/276-277, 280-282, 285**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 50,744	5/1917	Hoche .	
D. 66,781	3/1925	Tworski	D20/31
D. 67,383	5/1925	Whitehead .	
D. 79,748	10/1929	Ogden	D10/21
D. 96,431	7/1935	Van Bloem	D10/21

[57] CLAIM

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a clock showing my new design;
FIG. 2 is a right side elevational view thereof, the left side being a mirror image;
FIG. 3 is a right side elevational view thereof with the lid open, the left side being a mirror image;
FIG. 4 is a front elevational view of FIG. 3;
FIG. 5 is a top plan view of FIG. 3;
FIG. 6 is a rear elevational view of FIG. 3; and,
FIG. 7 is a bottom plan view of FIG. 3.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

