



US00D328144S

United States Patent [19]
Yuen

[11] **Patent Number: Des. 328,144**
[45] **Date of Patent: ** Jul. 21, 1992**

[54] **MULTI-FUNCTION LANTERN**

[75] **Inventor: John S. Yuen, Kowloon, Hong Kong**

[73] **Assignee: John Manufacturing Limited, Hong Kong, Hong Kong**

[**] **Term: 14 Years**

[21] **Appl. No.: 652,269**

[22] **Filed: Feb. 7, 1991**

[30] **Foreign Application Priority Data**

Aug. 29, 1990 [GB] United Kingdom 22 009 307

[52] **U.S. Cl. D26/44**

[58] **Field of Search D26/37-50;**
362/157, 158, 183-191, 194-205

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 241,972 10/1976 Nau D26/44
- D. 296,827 7/1988 Yuen D26/44
- D. 297,372 8/1988 Poon D26/44

FOREIGN PATENT DOCUMENTS

- 1019578 5/1984 United Kingdom .
- 1019579 5/1984 United Kingdom .
- 1040351 2/1987 United Kingdom .

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Fay, Sharpe, Beall, Fagan,
Minnich & McKee

[57] **CLAIM**

The ornamental design for a multi-function lantern, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view in a first position of a multi-function lantern showing my new design;
 FIG. 2 is a right side elevational view in a first position thereof;
 FIG. 3 is a left side elevational view in a first position thereof;
 FIG. 4 is a top plan view in a first position thereof;
 FIG. 5 is an underneath plan view in a first position thereof;
 FIG. 6 is a rear elevational view in a first position thereof;
 FIG. 7 is a front elevational view in a second position thereof;
 FIG. 8 is a right side elevational view in a second position thereof;
 FIG. 9 is a left side elevational view in a second position thereof;
 FIG. 10 is a top plan view in a second position thereof;
 FIG. 11 is an underneath plan view in a second position thereof;
 FIG. 12 is a rear elevational view in a second position thereof;
 FIG. 13 is a front elevational view in a third position thereof;
 FIG. 14 is a right side elevational view in a third position thereof;
 FIG. 15 is a left side elevational view in a third position thereof;
 FIG. 16 is a top plan view in a third position thereof;
 FIG. 17 is an underneath plan view in a third position thereof; and,
 FIG. 18 is a rear elevational view in a third position thereof.




FIG.1.




FIG.2.



FIG.3.




FIG.4.





FIG.5.






FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG.10.




FIG.11.

FIG.12.




FIG.13.





FIG.14.

FIG.15.



FIG.16.




FIG.17.




FIG.18.

