



US00D328145S

**United States Patent** [19]  
**Yuen**

[11] **Patent Number: Des. 328,145**

[45] **Date of Patent: \*\* Jul. 21, 1992**

[54] **RECHARGEABLE EMERGENCY LIGHT**

4,743,829 5/1988 Fenne et al. .... 362/183 X  
4,794,315 12/1988 Pederson et al. .... 362/183 X

[75] **Inventor: John S. Yuen, Kowloon, Hong Kong**

[73] **Assignee: John Manufacturing Limited, Hong Kong**

*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Fay, Sharpe, Beall, Fagan, Minnich & McKee

[\*\*] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 612,884**

The ornamental design for a rechargeable emergency light, as shown and described.

[22] **Filed: Nov. 14, 1990**

**DESCRIPTION**

[30] **Foreign Application Priority Data**



May 21, 1990 [GB] United Kingdom ..... 2 007 014  
[52] **U.S. Cl.** ..... **D26/46**  
[58] **Field of Search** ..... **D26/37-50;**  
362/157, 158, 183-191, 194-205

FIG. 1 is a top plan view of a rechargeable emergency light showing my new design;  
FIG. 2 is a right side elevational view thereof, the left side being a mirror image;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a top plan view thereof with the slidable switch moved to permit extension of the prongs for recharging; and,  
FIG. 7 is a right side elevational view of the emergency light as shown in FIG. 6.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 272,476 1/1984 McCloskey et al. .... D26/46  
D. 282,289 1/1986 Verdier ..... D26/46  
D. 307,058 4/1990 Yuen ..... D26/38



*FIG. 1*



*FIG. 2*



*FIG. 3*




FIG. 4




FIG. 5




FIG. 6




FIG. 7

