



US00D328292S

# United States Patent [19]

[11] Patent Number: Des. 328,292

Akita et al.

[45] Date of Patent: \*\* Jul. 28, 1992

[54] COMBINED MONITOR AND TELEVISION RECEIVER

[75] Inventors: Tsugio Akita; Toshihiro Iyama; Yasuo Funahashi, all of Osaka, Japan

[73] Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 634,858

[22] Filed: Dec. 27, 1990

[52] U.S. Cl. .... D14/126; D14/113

[58] Field of Search ..... D14/124-135, D14/113; 358/236-239, 254-255; 312/7.2

[56] References Cited

### U.S. PATENT DOCUMENTS

- D. 175,290 8/1955 Aeschliman ..... D14/126
- D. 276,343 11/1984 Enomoto ..... D14/126 X

### OTHER PUBLICATIONS

Video Review, Nov. 1987, p. 36, top left—Sony Pro HDTV Monitor.

Fordham 1987 Catalog, O 1986, p. 115, bottom right—RCA Video Monitor Model TC-1115.


*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas

### CLAIM


[57] The ornamental design for a combined monitor and television receiver, as shown.

### DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a combined monitor and television receiver showing our new design; and, FIG. 2 is a rear, bottom and left side perspective view thereof.



*Fig. 1*



*Fig. 2*

