



US00D328394S

United States Patent [19]  
Strickland

[11] Patent Number: Des. 328,394  
[45] Date of Patent: \*\* Aug. 4, 1992

[54] HANGER

[76] Inventor: Gerald C. Strickland, 1115  
Sandlewood Dr., Durham, N.C.  
27712

[\*\*] Term: 14 Years

[21] Appl. No.: 573,665

[22] Filed: Aug. 27, 1990

[52] U.S. Cl. .... D6/316; D6/318;  
D21/160

[58] Field of Search ..... D6/315, 316, 563;  
211/113; 223/85-96; D3/38; D22/125;  
D21/160

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |                  |        |
|------------|---------|------------------|--------|
| D. 268,719 | 4/1983  | Leo, Jr. ....    | D6/316 |
| D. 290,907 | 7/1987  | King .....       | D3/38  |
| 1,888,228  | 11/1932 | Hunt .....       | 223/89 |
| 2,383,593  | 8/1945  | Deerfsun .....   | 223/91 |
| 2,571,635  | 10/1951 | Von Gunten ..... | 223/88 |

OTHER PUBLICATIONS

Orvis 1974 Christmas Cat.; ©1974; p. 6; hand carved duck (upper left).


Primary Examiner—B. J. Bullock  
Attorney, Agent, or Firm—Olive & Olive


[57] CLAIM

The ornamental design for a hanger, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a hanger showing my new design;  
FIG. 2 is a rear elevational view thereof, the hanger body shown separately for ease of illustration;  
FIG. 3 is a top plan view of FIG. 2;  
FIG. 4 is a bottom plan view of FIG. 2;  
FIG. 5 is a left end elevational view of FIG. 2;  
FIG. 6 is a right end elevational view of FIG. 2;  
FIG. 7 is a side elevational view of the hook shown separately for clarity of illustration;  
FIG. 8 is an enlarged top plan view of the hook attachment plate again shown separately for clarity of illustration;  
FIG. 9 is a front elevational view of a second embodiment of the design of FIG. 1, the only difference being the inclusion of the hanger bar;  
FIG. 10 is a rear perspective view of a third embodiment of the design of FIG. 1, the only differences being the inclusion of a hanger bar and a mounting bracket instead of a hook; the rod being shown in broken lines for illustrative purposes only;  
FIG. 11 is a reduced rear perspective view of FIG. 1, the shelf, clothing, and other hangers being shown in broken lines for illustrative purposes only;  
FIG. 12 is a front elevational view of a fourth embodiment of the design of FIG. 1, the only difference being the inclusion of a mounting bracket instead of a hook;  
FIG. 13 is an enlarged perspective view of the mounting bracket shown separately for ease of illustration;  
FIG. 14 is a front elevational view of FIG. 13, the rear being identical;  
FIG. 15 is a side elevational view of FIG. 13, both sides being identical;  
FIG. 16 is a top plan view of FIG. 13; and,  
FIG. 17 is a bottom plan view of FIG. 13.







**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**




**FIG. 5**



**FIG. 6**




**FIG. 7**




**FIG. 8**







**FIG. 9**



**FIG. 10**



**FIG. 11**



**FIG. 13**





FIG. 14




FIG. 15




FIG. 16




FIG. 17