



US00D328444S

**United States Patent** [19]  
**Graas**

[11] **Patent Number: Des. 328,444**

[45] **Date of Patent: \*\* Aug. 4, 1992**

[54] **PNEUMATIC TIRE TREAD AND BUTTRESS**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

[75] **Inventor: Maurice Graas, Reichlange,  
Luxembourg**

D. 274,805 7/1984 Dalmas ..... D12/146  
D. 316,534 4/1991 Hutz ..... D12/147  
D. 317,145 5/1991 Iwamura ..... D12/146

[73] **Assignee: The Goodyear Tire & Rubber  
Company, Akron, Ohio**

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—T. P. Lewandowski

[\*\*] **Term: 14 Years**

[57] **CLAIM**

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

[21] **Appl. No.: 538,951**


**DESCRIPTION**

[22] **Filed: Jun. 15, 1990**

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is an enlarged fragmentary front elevational view thereof; and,  
FIG. 4 is an enlarged fragmentary side elevational view thereof.

[30] **Foreign Application Priority Data**

Jan. 18, 1990 [XB] Benelux ..... 65131-00  
[52] **U.S. Cl.** ..... **D12/147**  
[58] **Field of Search** ..... **D12/141-143,  
D12/145-151; 152/209 R, 209 B, 209 D**






FIG-1




FIG-2




FIG-3




FIG-4