



US00D328561S

United States Patent [19]

[11] Patent Number: **Des. 328,561**

Simonton

[45] Date of Patent: **** Aug. 11, 1992**

[54] **GROMMET**

[75] Inventor: **Ronald Simonton, Stonington, Conn.**

[73] Assignee: **Herman Miller, Inc., Zeeland, Mich.**

[**] Term: **14 Years**

[21] Appl. No.: **461,798**

[22] Filed: **Jan. 8, 1990**

[52] U.S. Cl. **D8/356; D8/354**

[58] Field of Search **D8/356, 353, 349, 354, D8/384; 248/56; 16/2; 24/713.1, 713.6**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 276,311 11/1984 Cournoyer et al. D8/356
4,520,976 6/1985 Cournoyer et al. 248/56

FOREIGN PATENT DOCUMENTS

2117471 9/1983 United Kingdom 248/56

Primary Examiner—Wallace R. Burke

Assistant Examiner—H. Baynham

Attorney, Agent, or Firm—Varnum, Riddering, Schmidt & Howlett

[57] **CLAIM**

I claim the ornamental design for a grommet, as shown and described herein.

DESCRIPTION

FIG. 1 is a perspective view of a grommet showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front side elevational view thereof;
FIG. 5 is a rear side elevational view thereof;
FIG. 6 is a sectional view thereof taken along line 6—6 of FIG. 2;
FIG. 7 is a sectional view thereof taken along line 7—7 of FIG. 2;
FIG. 8 is a sectional view thereof taken along line 8—8 of FIG. 2;
FIG. 9 is a sectional view thereof taken along line 9—9 of FIG. 2;
FIG. 10 is a sectional view thereof taken along line 10—10 of FIG. 2;

FIG. 11 is a top plan view of a second embodiment of the design shown in FIG. 1;
FIG. 12 is a perspective view thereof;
FIG. 13 is a top plan view of a third embodiment of the design shown in FIG. 1;
FIG. 14 is a perspective view thereof;
FIG. 15 is a top plan view of a fourth embodiment of the design shown in FIG. 1;
FIG. 16 is a perspective view thereof;
FIG. 17 is a top plan view of a fifth embodiment of the design shown in FIG. 1;
FIG. 18 is a perspective view thereof;
FIG. 19 is a top plan view of a sixth embodiment of the design shown in FIG. 1;
FIG. 20 is a perspective view thereof;
FIG. 21 is a top plan view of a seventh embodiment of the design shown in FIG. 1;
FIG. 22 is a perspective view thereof;
FIG. 23 is a top plan view of an eighth embodiment of the design shown in FIG. 1;
FIG. 24 is a perspective view thereof;
FIG. 25 is a top plan view of a ninth embodiment of the design shown in FIG. 1;
FIG. 26 is a perspective view thereof;
FIG. 27 is a top plan view of a tenth embodiment of the design shown in FIG. 1;
FIG. 28 is a perspective view thereof;
FIG. 29 is a top plan view of an eleventh embodiment of the design shown in FIG. 1;
FIG. 30 is a perspective view thereof;
FIG. 31 is a top plan view of a twelfth embodiment of the design shown in FIG. 1;
FIG. 32 is a perspective view thereof;
FIG. 33 is a perspective view of a thirteenth embodiment of the design shown in FIG. 1;
FIG. 34 is a top plan view thereof;
FIG. 35 is a front elevational view thereof;
FIG. 36 is a rear elevational view thereof;
FIG. 37 is a right side elevational view thereof with the left side being a mirror image thereof;
FIG. 38 is a sectional view thereof taken along line 38—38 of FIG. 34;
FIG. 39 is a sectional view thereof taken along line 39—39 of FIG. 34;
FIG. 40 is a sectional view thereof taken along line 40—40 of FIG. 34;




FIG. 41 is a sectional view thereof taken along line 41—41 of FIG. 34;

FIG. 42 is a sectional view thereof taken along line 42—42 of FIG. 34;

FIG. 43 is a top plan view of a fourteenth embodiment of the design shown in FIG. 1;

FIG. 44 is a perspective view thereof;

FIG. 45 is a top plan view of a fifteenth embodiment of the design shown in FIG. 1;

FIG. 46 is a perspective view thereof;

FIG. 47 is a top plan view of a sixteenth embodiment of the design shown in FIG. 1;

FIG. 48 is a perspective view thereof;

FIG. 49 is a top plan view of a seventeenth embodiment of the design shown in FIG. 1;

FIG. 50 is a perspective view thereof

FIG. 51 is a top plan view of an eighteenth embodiment of the design shown in FIG. 1;

FIG. 52 is a perspective view thereof;

FIG. 53 is a top plan view of a nineteenth embodiment of the design shown in FIG. 1;

FIG. 54 is a perspective view thereof;

FIG. 55 is a top plan view of a twentieth embodiment of the design shown in FIG. 1;

FIG. 56 is a perspective view thereof;

FIG. 57 is a top plan view of a twenty-first embodiment of the design shown in FIG. 1;

FIG. 58 is a perspective view thereof;

FIG. 59 is a top plan view of a twenty-second embodiment of the design shown in FIG. 1;

FIG. 60 is a perspective view thereof;

FIG. 61 is a top plan view of a twenty-third embodiment of the design shown in FIG. 1;

FIG. 62 is a perspective view thereof;

FIG. 63 is a top plan view of a twenty-fourth embodiment of the design shown in FIG. 1; and,

FIG. 64 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38



FIG. 39



FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 328,561
DATED : August 11, 1992
INVENTOR(S) : Simonton

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DESCRIPTION

"FIG. 3 is a bottom plan view thereof;"
should read --FIG. 3 is a front side elevational
view thereof;--

"FIG 4. is a front side elevational view
thereof;" should read --FIG. 4 is a rear side
elevational view thereof;--

"FIG 5. is a rear side elevational view
thereof;" should read --FIG. 5 is a right side
elevational view thereof, the left side thereof
being a mirror image thereof;--

In FIG. 45, "fifhtteenth" should read
--fifteenth--.

In FIG. 47, "sixthteenth" should read
--sixteenth--.

Signed and Sealed this

Twenty-first Day of September, 1993



Attest:

BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks