



US00D328578S

United States Patent [19]

[11] Patent Number: **Des. 328,578**

Cormier et al.

[45] Date of Patent: **** Aug. 11, 1992**

[54] TIRE

D. 317,145 5/1991 Iwamura D12/146

[75] Inventors: **Ralph J. Cormier, Hazel Park, Mich.;
Miroslav Manestar, Norton, Ohio**

FOREIGN PATENT DOCUMENTS

0089320 9/1983 European Pat. Off. 152/209 D

[73] Assignee: **The Uniroyal Goodrich Tire
Company, Akron, Ohio**

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Greg Strugalski; Alan A.
Csontos

[**] Term: **14 Years**

[21] Appl. No.: **584,946**

[57] CLAIM

The ornamental design for a tire, as shown and described.

[22] Filed: **Sep. 20, 1990**

[52] U.S. Cl. **D12/146**

[58] Field of Search **D12/141-143,
D12/146-151; 152/209 R, 209 B, 209 D**


DESCRIPTION

FIG. 1 is a front perspective view of a tire showing my new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown; FIG. 2 is a side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a cross sectional view thereof taken along line 4-4 in FIG. 2; and, FIG. 5 is an enlarged fragmentary plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 239,931 5/1976 Duncan D12/146
- D. 271,755 12/1983 Ricquet D12/147
- D. 273,777 5/1984 Igarashi et al. D12/147
- D. 283,694 5/1986 Candiliotis D12/146
- D. 313,778 1/1991 Kobayashi et al. D12/146






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5