



US00D328582S

United States Patent [19]

[11] Patent Number: **Des. 328,582**

Covert et al.

[45] Date of Patent: **** Aug. 11, 1992**

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventors: **Darrell E. Covert**, Strassen, Luxembourg; **Paul B. Maxwell**, Stow, Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **595,950**

[22] Filed: **Oct. 11, 1990**

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/146-151, D12/136, 137; 152/209 R, 209 A, 209 B, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 95,916	6/1935	Maynard	D12/147
D. 190,985	7/1961	Blankenship et al.	D12/147
D. 274,806	7/1984	Epinat	D12/151
D. 305,016	12/1989	Hayakawa et al.	D12/147

OTHER PUBLICATIONS

1990 Tread Design Guide, P227, Continental TKH-2-

4-Rear Street Tire, third row down from top, center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Thomas P. Lewandowski

[57] **CLAIM**

The ornamental design for a pneumatic tire tread and butress, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pneumatic tire tread and butress showing our new design, it being understood that the pattern is repeated uniformly throughout the circumference of the tread and butress, the broken lines being for illustrative purposes only and form no part of the claimed design;


FIG. 2 is a perspective view thereof taken from the opposite side;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a fragmentary front elevational view thereof on an enlarged scale;

FIG. 5 is a side elevational view thereof; and,

FIG. 6 is an opposite side elevational view thereof.






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6