



US00D328582S

# United States Patent [19]

[11] Patent Number: **Des. 328,582**

Covert et al.

[45] Date of Patent: **\*\* Aug. 11, 1992**

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventors: **Darrell E. Covert**, Strassen, Luxembourg; **Paul B. Maxwell**, Stow, Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[\*\*] Term: **14 Years**

[21] Appl. No.: **595,950**

[22] Filed: **Oct. 11, 1990**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... **D12/146-151, D12/136, 137; 152/209 R, 209 A, 209 B, 209 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 95,916	6/1935	Maynard	.....	D12/147
D. 190,985	7/1961	Blankenship et al.	.....	D12/147
D. 274,806	7/1984	Epinat	.....	D12/151
D. 305,016	12/1989	Hayakawa et al.	.....	D12/147

**OTHER PUBLICATIONS**

1990 Tread Design Guide, P227, Continental TKH-2-

4-Rear Street Tire, third row down from top, center of page.

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Thomas P. Lewandowski

[57] **CLAIM**

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing our new design, it being understood that the pattern is repeated uniformly throughout the circumference of the tread and buttress, the broken lines being for illustrative purposes only and form no part of the claimed design;


FIG. 2 is a perspective view thereof taken from the opposite side;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a fragmentary front elevational view thereof on an enlarged scale;

FIG. 5 is a side elevational view thereof; and,

FIG. 6 is an opposite side elevational view thereof.






FIG-1






FIG-2




FIG-3






FIG-4




FIG-5




FIG-6