



US00D328583S

United States Patent [19]

[11] Patent Number: **Des. 328,583**

Graas et al.

[45] Date of Patent: **** Aug. 11, 1992**

[54] **PNEUMATIC TIRE TREAD AND BUTTRESS**

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Thomas P. Lewandowski

[75] Inventors: **Maurice Graas, Reichlange; Jan H. Van Tuyl, Ettelbruck**, both of Luxembourg

[57] **CLAIM**

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

[73] Assignee: **The Goodyear Tire & Rubber Company, Akron, Ohio**

DESCRIPTION

[**] Term: **14 Years**

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing our new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown;

[21] Appl. No.: **612,896**

FIG. 2 is a front elevation view thereof;

[22] Filed: **Nov. 14, 1990**

FIG. 3 is a fragmentary side elevational view thereof; and,

[52] U.S. Cl. **D12/147**

FIG. 4 is an enlarged fragmentary front elevational view thereof.


[58] Field of Search **D12/141-143, D12/145-151; 152/209 R, 209 B, 209 D**

The broken line showing of environmental structure in FIGS. 1 and 3 of the drawing is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 312,063 11/1990 Covert et al. D12/147
- D. 316,387 4/1991 Eromaki D12/147
- D. 316,533 4/1991 Killian D12/147






FIG. 1




FIG. 2



FIG. 3




Fig. 4