



US00D328584S

# United States Patent [19]

[11] Patent Number: **Des. 328,584**

Maxwell et al.

[45] Date of Patent: **\*\* Aug. 11, 1992**

[54] **PNEUMATIC TIRE TREAD AND BUTTRESS**

D. 311,890 11/1990 Covert et al. .... D12/147

[75] Inventors: **Paul B. Maxwell, Stow, Ohio;**  
**Darrell E. Covert, Strassen,**  
**Luxembourg**

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Thomas P. Lewandowski

[73] Assignee: **The Goodyear Tire & Rubber**  
**Company, Akron, Ohio**

[57] **CLAIM**

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

[\*\*] Term: **14 Years**

**DESCRIPTION**

[21] Appl. No.: **637,888**

[22] Filed: **Jan. 4, 1991**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... **D12/141-143,**  
**D12/145-151; 152/209 R, 209 A, 209 B, 209 D**


FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing our new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; and, FIG. 3 is a side elevational view thereof opposite to that shown in FIG. 1.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 305,016 12/1989 Hayakawa et al. .... D12/147
- D. 310,986 10/1990 Covert et al. .... D12/147

The broken line showing of environmental structure in the drawing is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2