



US00D328729S

United States Patent [19]

[11] Patent Number: Des. 328,729

Maxwell et al.

[45] Date of Patent: ** Aug. 18, 1992

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventors: Paul B. Maxwell, Akron; Rudy E. Consolacion, Cuyahoga Falls; William E. Egan, Tallmadge; Martin F. Johns, Copley, all of Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 520,344

[22] Filed: May 2, 1990

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-143, D12/145-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

4,700,762 10/1987 Landers 152/209 R

OTHER PUBLICATIONS

1989 Tread Design Guide, p. 66, Semperit Top-Speed Tire, second row down from top, left side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski; L. R. Drayer

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing our new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and, FIG. 4 is an enlarged fragmentary front elevational view thereof.






FIG-1




FIG-2




FIG-3




FIG-4