



US00D328883S

United States Patent [19]

[11] Patent Number: **Des. 328,883**

Scheuren

[45] Date of Patent: **** Aug. 25, 1992**

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

D. 278,696 5/1985 Grohmann et al. D12/147
D. 307,407 4/1990 Minamitani D12/147

[75] Inventor: Daniel Scheuren, Hachy, Belgium

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Thomas P. Lewandowski

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 605,870

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

[22] Filed: Oct. 19, 1990

DESCRIPTION

[30] Foreign Application Priority Data

May 18, 1990 [IB] Int'l Pat. Institute 65558-0

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown;

[52] U.S. Cl. D12/147

[58] Field of Search D12/145-151,
D12/137; 152/209 R, 209 B, 209 D

FIG. 2 is a front elevational view thereof; and,


[56] References Cited

U.S. PATENT DOCUMENTS

D. 193,378 8/1962 Tiborcz D12/146
D. 278,220 4/1985 McDonald D12/147

FIG. 3 is a fragmentary side elevational view thereof on an enlarged scale.

The broken line showing of environmental structure in FIGS. 1 and 3 of the drawing is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2




FIG-3