



US00D328891S

United States Patent [19]

[11] Patent Number: Des. 328,891

Sakaguchi et al.

[45] Date of Patent: ** Aug. 25, 1992

[54] MEMORANDUM INPUT AND OUTPUT TERMINAL

[75] Inventors: Hiroshi Sakaguchi; Toshiya Takahashi; Kenji Ohta, all of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 507,293

[22] Filed: Apr. 10, 1990

[30] Foreign Application Priority Data

Oct. 11, 1989 [JP]	Japan	1-37276
[52] U.S. Cl.		D14/100; D18/7
[58] Field of Search		D14/100, 101, 105, 106, 107, 115; D18/1, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 364/708-710, 900; 200/5

A

[56] References Cited

U.S. PATENT DOCUMENTS

D. 298,623	11/1988	Yubisui et al.	D14/100
D. 308,692	6/1990	Sakaguchi	D18/7
D. 308,693	6/1990	Sakaguchi	D18/7
D. 308,883	6/1990	Sakaguchi	D18/7
D. 309,293	7/1990	Helbig, Jr.	D14/100
D. 317,619	6/1991	Sawada et al.	D18/7


Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a memorandum input and output terminal, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a memorandum input and output terminal showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a left side elevational view thereof.






FIG_1




FIG_2




FIG_4



FIG_6



FIG_3



FIG_5



FIG_7