



US00D328891S

United States Patent [19]

[11] Patent Number: **Des. 328,891**

Sakaguchi et al.

[45] Date of Patent: **** Aug. 25, 1992**

[54] MEMORANDUM INPUT AND OUTPUT TERMINAL

[75] Inventors: **Hiroshi Sakaguchi; Toshiya Takahashi; Kenji Ohta**, all of Osaka, Japan

[73] Assignee: **Sharp Corporation**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **507,293**

[22] Filed: **Apr. 10, 1990**

[30] **Foreign Application Priority Data**

Oct. 11, 1989 [JP] Japan 1-37276
 [52] U.S. Cl. **D14/100; D18/7**
 [58] Field of Search **D14/100, 101, 105, 106, D14/107, 115; D18/1, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 364/708-710, 900; 200/5**
 A

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 298,623 11/1988 Yubisui et al. D14/100
- D. 308,692 6/1990 Sakaguchi D18/7
- D. 308,693 6/1990 Sakaguchi D18/7
- D. 308,883 6/1990 Sakaguchi D18/7
- D. 309,293 7/1990 Helbig, Jr. D14/100
- D. 317,619 6/1991 Sawada et al. D18/7


Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] **CLAIM**

The ornamental design for a memorandum input and output terminal, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a memorandum input and output terminal showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and,
 FIG. 7 is a left side elevational view thereof.






FIG_1




FIG_2




FIG_4



FIG_6



FIG_3



FIG_5



FIG_7