



US00D329220S

# United States Patent [19]

Pauley et al.

[11] Patent Number: **Des. 329,220**

[45] Date of Patent: **\*\* Sep. 8, 1992**

[54] **DRIFT ANCHOR**

[75] Inventors: **Gregory L. Pauley; Claud C. Kelso,**  
both of Pierre, S. Dak.

[73] Assignee: **Quick Change Systems, Pierre, S.**  
**Dak.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **509,427**

[22] Filed: **Apr. 16, 1990**

[52] U.S. Cl. .... **D12/215**

[58] Field of Search ..... **D12/215; 114/311, 294,**  
**114/310**

[56] **References Cited**

## U.S. PATENT DOCUMENTS

D. 303,369 9/1989 Abernethy ..... **D12/215**  
4,926,780 5/1990 Wichagen ..... **114/311**

## OTHER PUBLICATIONS

Sears Boating cat., p. 36, #17. Sea Anchor.

Marine Buyers Guide 1984, p. 38, Sea Anchor.

*Primary Examiner*—Kay H. Chin

*Attorney, Agent, or Firm*—Douglas L. Tschida

[57] **CLAIM**

The ornamental design for a drift anchor, as shown and described.


## DESCRIPTION

FIG. 1 is a top and front perspective view of a drift anchor showing our new design;

FIG. 2 is a bottom and rear perspective view thereof;

FIG. 3 is a bottom and front perspective view of a second embodiment of the drift anchor, the sole difference from the first embodiment being in a pair of floats and an intermediate weight sewn into the hem thereof; and,

FIG. 4 is a bottom and front perspective view of a third embodiment of the drift anchor, the sole difference from the first embodiment being in four pockets sewn into the hem and within which weights or floats are contained.






FIG. 1




FIG. 2




FIG. 3






FIG. 4