



US00D329221S

# United States Patent [19]

[11] Patent Number: Des. 329,221

Khoo

[45] Date of Patent: \*\* Sep. 8, 1992

[54] COMBINED RECHARGER AND SIGNAL INTERFACE BOX FOR USE WITH A SELECTIVE CALL ENCODER AND TRANSMITTER, OR SIMILAR ARTICLE

[75] Inventor: Bee Lay Khoo, Johor, Malaysia

[73] Assignee: Motorola, Inc., Schaumburg, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 508,398

[22] Filed: Apr. 13, 1990

[52] U.S. Cl. .... D13/107; D13/164

[58] Field of Search ..... D13/107, 108, 162, 164; 320/2, 3; D14/100, 115, 124, 159, 217, 140, 137; D10/106

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 220,338	3/1971	Goldman et al. ....	D26/14
D. 229,499	12/1973	Krumin et al. ....	D26/15 B
D. 229,500	12/1973	Krumin et al. ....	D26/15 B
D. 237,893	12/1975	Wennerstrom ....	D24/14 K
D. 244,618	6/1977	Goldman et al. ....	D26/14 K
D. 278,332	4/1985	Meier et al. ....	D13/164
D. 281,064	10/1985	Scheid ....	D13/5
D. 285,554	9/1986	Beaumont et al. ....	D14/140 X
D. 293,674	1/1988	Scheid ....	D14/95
D. 315,315	3/1991	Stairs, Jr. ....	D13/162
D. 320,982	10/1991	Siddoway ....	D14/124 X

### OTHER PUBLICATIONS

Panasonic KXT3000RPA Cordless Phone on p. 347 of *B.A. Pargh Co. catalog*.  
 Corbra radar detectors on p. 382 of *B.A. Pargh Co. cat.*  
 BMI 590X200 Powerline Monitor/Printer on p. 90 of *Specialized Products Co. catalog*.  
*People Finder, On-Site Communication System with Telephone Interconnect*, Motorola, Inc., 1989.  
*OSMAC Irrigation Control System*, Motorola, Inc., 1989.  
*OSMAC Radio-Controlled Irrigation System*, Motorola, Inc., 1989.


Primary Examiner—Wallace R. Burke  
 Assistant Examiner—Joel Sincavage  
 Attorney, Agent, or Firm—Daniel R. Collopy; William E. Koch; Vincent B. Ingrassia


### [57] CLAIM

The ornamental design for a combined recharger and signal interface box for use with a selective call encoder and transmitter, or similar article, as shown and described.


### DESCRIPTION

FIG. 1 is an inverted rear elevational view of a combined recharger and signal interface box for use with a selective call encoder and transmitter, or similar article showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a front and upper right perspective view thereof shown on a slightly reduced scale; and,  
 FIG. 5 is a right side elevational view thereof, the left side elevational view thereof being a mirror image.







*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*