



US00D329230S

United States Patent [19]

Masuda

[11] Patent Number: **Des. 329,230**

[45] Date of Patent: **** Sep. 8, 1992**

[54] **FACSIMILE TRANSMITTER**

[75] Inventor: **Takuro Masuda, Yokohama, Japan**

[73] Assignee: **Tokyo Electric Co., Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **581,657**

[22] Filed: **Sep. 13, 1990**

[30] **Foreign Application Priority Data**

Jun. 8, 1990 [JP] Japan 2-19097

[52] U.S. Cl. **D14/118**

[58] Field of Search **D14/118, 299; D18/36, D18/37; 358/400, 401**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 285,560 9/1986 Hoshino D14/118
- D. 295,750 5/1988 Iwai D14/118
- D. 316,254 4/1991 Sato D14/118
- D. 323,160 1/1992 Udagawa D14/118

OTHER PUBLICATIONS

HFD; Jan. 11, 1988; p. 176; top right—Fax-305.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Bacon & Thomas

[57] **CLAIM**

The ornamental design for a facsimile transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a facsimile transmitter showing my new design;
 FIG. 2 is a top, front and left side perspective view thereof with a paper guide shown open;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a left side elevational view thereof;
 FIG. 8 is a right side elevational view thereof; and,
 FIG. 9 is a top, front and left side perspective view thereof with a paper guide shown open and a cover attached, the broken line showing of the cover being environmental only and forming no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

