



US00D329281S

# United States Patent [19]

Yoshida et al.

[11] Patent Number: **Des. 329,281**

[45] Date of Patent: **\*\* Sep. 8, 1992**

[54] **FIN FOR USE IN A FIN AND TUBE HEAT EXCHANGER IN AN AIR CONDITIONER**

[75] Inventors: **Takayuki Yoshida; Tomohumi Tezuka**, both of Shizuoka; **Masao Huzii**, Amagasaki, all of Japan

[73] Assignee: **Mitsubishi Denki Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **313,810**

[22] Filed: **Feb. 23, 1989**

[30] **Foreign Application Priority Data**

Oct. 27, 1988 [JP] Japan ..... 63-42291

[52] U.S. Cl. .... **D23/323**

[58] Field of Search ..... D23/323, 386, 354, 499; 165/150, 182

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 221,853 9/1971 Kimura ..... D23/386  
D. 302,853 8/1989 Takahashi et al. .... D23/386

D. 317,500 6/1991 Ueda ..... D23/386  
2,977,918 4/1961 Fritzer ..... 165/150  
4,709,753 12/1987 Reifel ..... 165/182  
4,723,600 2/1988 Yokoyama et al. .... 165/150  
4,832,117 5/1989 Kato et al. .... 165/182

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Lisa Lichtenstein  
*Attorney, Agent, or Firm*—Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a fin for use in a fin and tube heat exchanger in an air conditioner, as shown.

**DESCRIPTION**

FIG. 1 is a front elevation view of a fin for use in a fin and tube heat exchanger in an air conditioner, showing our new design;



FIG. 2 is a rear elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a top plan view thereof, the bottom being a mirror image of that shown; and,

FIG. 6 is a cross-sectional view thereof taken on line 6—6 of FIG. 1.







FIG. 1

FIG. 3



FIG. 4




FIG. 2



FIG. 5



FIG. 6