



US00D329643S

United States Patent [19]
Hiroki

[11] **Patent Number: Des. 329,643**
[45] **Date of Patent: ** Sep. 22, 1992**

[54] **FACSIMILE TRANSCEIVER**

[75] **Inventor: Shin-ichi Hiroki, Tokyo, Japan**
[73] **Assignee: Kabushiki Kaisha Toshiba, Kawasaki, Japan**
[**] **Term: 14 Years**
[21] **Appl. No.: 578,411**
[22] **Filed: Sep. 7, 1990**

[30] **Foreign Application Priority Data**

Mar. 19, 1990 [JP] Japan 2-8945
[52] **U.S. Cl. D14/118**
[58] **Field of Search D14/118, 299; D18/36, D18/37; 358/400, 401**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,874 11/1989 Saegusa et al. D14/118
D. 311,929 11/1990 Saegusa et al. D14/118
D. 313,591 1/1991 Oie D14/118
D. 314,955 2/1991 Watanabe D14/118

FOREIGN PATENT DOCUMENTS

691692 7/1986 Japan .

OTHER PUBLICATIONS

NTT Catalog of NTTFAX-D4100, Apr. 5, 1988.
Modern Office Technology; Jun. 1987; p. 106; Canon model FAX-620.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a facsimile transceiver showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

