



US00D329660S

United States Patent [19]

Yamanaka

[11] Patent Number: **Des. 329,660**

[45] Date of Patent: **** Sep. 22, 1992**

[54] **WRITING INSTRUMENT**

[76] Inventor: **Shizuo Yamanaka**, 16-13-301,
Shimo-Renjaku 4-chome, Mitaka-shi,
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **390,266**

[22] Filed: **Aug. 7, 1989**

[30] **Foreign Application Priority Data**

Feb. 2, 1989 [JP] Japan 1-7387

[52] U.S. Cl. **D19/48; D19/43;**
D19/56; D19/57

[58] Field of Search **D19/41-51,**
D19/35, 36, 54-58, 81-85; 401/221, 222,
243-247

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 284,773 7/1986 Schwartz et al. D19/51 X
D. 294,599 3/1988 Funahashi et al. D19/48

D. 310,542 9/1990 Regnault D19/48 X
D. 314,978 2/1991 Oka D19/48
D. 316,427 4/1991 Tinz D19/57 X
4,595,308 6/1986 Schiefnetter et al. 401/243

Primary Examiner—Donald P. Walsh
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Browdy and Neimark

[57] **CLAIM**

The ornamental design for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a top, right front perspective view of a writing instrument showing my new design;
FIG. 2 is a front elevational view;
FIG. 3 is a right side elevational view, the left side being a mirror image thereof;
FIG. 4 is a rear elevational view;
FIG. 5 is a top plan view;
FIG. 6 is a bottom plan view; and,
FIG. 7 is a front elevational view thereof in an exploded condition.



FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

