



US00D329788S

United States Patent [19]

[11] Patent Number: **Des. 329,788**

Andrew

[45] Date of Patent: **** Sep. 29, 1992**

[54] COMBINATION WRENCH FOR LOCK NUTS

3,875,828	4/1975	Evans	81/119
4,618,299	10/1986	Bainbridge	411/374
4,648,293	3/1987	McCauley	81/436
4,664,000	5/1987	Bainbridge	81/451

[76] Inventor: **Peter Andrew**, 3013 39th St., Tampa, Fla. 33605

[**] Term: **14 Years**

Primary Examiner—Bernard Ansher
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **527,250**

[22] Filed: **May 23, 1990**

[52] U.S. Cl. **D8/17**

[58] Field of Search **D8/17, 21, 27, 28, 52; 81/119, 120, 176.1, 176.15, 176.2, 125.1**

[57] **CLAIM**

The ornamental design for a combination wrench for lock nuts, as shown and described.


[56] **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

D. 215.537	10/1969	Cocks	D8/27
D. 276.123	10/1984	Pyles	D8/17
D. 285.948	9/1986	Mazzoleni	D8/17
D. 298.729	11/1988	Chase et al.	D8/52
D. 309.411	7/1990	Strock	D8/17
3,354.757	11/1967	Grimm et al.	81/176.1
3.695.124	10/1972	Myers	D8/28

FIG. 1 is a perspective view of a combination wrench for lock nuts showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a right side elevational view thereof.






FIG. 1.




FIG. 2.

FIG. 7.




FIG. 4.



FIG. 6.




FIG. 3.



FIG. 5.