



US00D329809S

United States Patent [19]
Bloomfield

[11] **Patent Number: Des. 329,809**

[45] **Date of Patent: ** Sep. 29, 1992**

[54] **TAMPERPROOF CAP**

4,071,156	1/1978	Lowe	215/224
4,322,009	3/1982	Mumford	215/253
4,524,876	6/1985	Kusz	215/224

[75] **Inventor: John I. Bloomfield, Massey, New Zealand**

[73] **Assignee: Plastic Consulting and Design Limited, Auckland, New Zealand**

[**] **Term: 14 Years**

[21] **Appl. No.: 592,065**

[22] **Filed: Oct. 3, 1990**

[30] **Foreign Application Priority Data**

Apr. 6, 1990 [NZ] New Zealand 23193

[52] **U.S. Cl. D9/443; D9/435; D9/445**

[58] **Field of Search D9/435, 443, 445, 454; 215/224, 295, 305, 316, 253**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 254,480	3/1980	Smafley	D9/454
D. 256,672	9/1980	Beck	D9/454

OTHER PUBLICATIONS

Aerosol Age; May 1983; p. 53; Closure (front center).

Primary Examiner—Bernard Ansher

Assistant Examiner—Dominic Simone

Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**

The ornamental design for a tamperproof cap, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a tamperproof cap showing my new design;

FIG. 2 is an inverted bottom perspective view thereof;

FIG. 3 is a top perspective view thereof;

FIG. 4 is a front elevational view thereof, the rear being identical;

FIG. 5 is a side elevational view thereof, the opposite side being identical; and,

FIG. 6 is a bottom plan view thereof.




FIG.1




FIG.2





FIG.3






FIG. 4




FIG. 5




FIG. 6