



US00D329860S

# United States Patent [19]

[11] Patent Number: **Des. 329,860**

Suyama et al.

[45] Date of Patent: **\*\* Sep. 29, 1992**

[54] **BINOCULARS**

[75] Inventors: **Hitoshi Suyama, Kawasaki; Yasuki Nagaoka, Ohmiya, both of Japan**

[73] Assignee: **Nikon Corporation, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **611,367**

[22] Filed: **Nov. 9, 1990**

[30] **Foreign Application Priority Data**

May 15, 1990 [JP] Japan ..... 2-16290

May 15, 1990 [JP] Japan ..... 2-16291

[52] U.S. Cl. .... **D16/133**

[58] Field of Search ..... **D16/133; 359/404, 410, 359/407, 411, 414, 417, 408, 413, 418, 421, 422**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 271,885 12/1983 Giugiaro ..... D16/133

D. 298,261 10/1988 Ogasawara ..... D16/133

D. 305,433 1/1990 Kobayashi ..... D16/133

D. 308,066 5/1990 Huckenbeck ..... D16/133

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris V. Coles  
*Attorney, Agent, or Firm*—Shapiro and Shapiro

[57] **CLAIM**

The ornamental design for binoculars, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of binoculars, showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view, the left side being a mirror image thereof;

FIG. 6 is a front, top and left side perspective view thereof;

FIG. 7 is a front elevational view of a second embodiment;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof; and,

FIG. 10 is a right side elevational view, the left side being a mirror image thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6



*FIG. 7*



*FIG. 8*




FIG. 9




FIG. 10

