



US00D329870S

United States Patent [19]

[11] Patent Number: **Des. 329,870**

Hanasaki et al.

[45] Date of Patent: **** Sep. 29, 1992**

[54] **THERMAL PRINTER**

D. 313,814 1/1991 Komada et al. D18/37
D. 315,574 3/1991 Komada et al. D18/37

[75] Inventors: **Yoshio Hanasaki, Hiroshima;**
Masaharu Sawatani; Toshiya
Yoshida, both of Kanagawa, all of
Japan

FOREIGN PATENT DOCUMENTS

658972 8/1985 Japan D18/55
694076 12/1986 Japan D18/55

[73] Assignee: **Mitsubishi Denki K.K., Tokyo, Japan**

Primary Examiner—A. Hugo Word
Assistant Examiner—CathyAnne MacCormac
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[**] Term: **14 Years**

[21] Appl. No.: **402,587**

[57] CLAIM

[22] Filed: **Aug. 23, 1989**

The ornamental design for a thermal printer, as shown.

[52] U.S. Cl. **D18/55; D18/37**

DESCRIPTION

[58] Field of Search 101/9, 130, 420, 18,
101/21, 28-29, 41-42, 287, 316; 400/691-694,
613.1-613.4, 613, 624; D18/50, 53-55, 36, 37;
D14/118

FIG. 1 is a front, top and left side perspective views of a thermal printer showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a right side elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 287,730 1/1987 Kojima et al. D18/55
D. 290,716 7/1987 Peart et al. D18/54
D. 304,824 11/1989 Hara et al. D18/55




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

