



US00D329913S

United States Patent [19]

[11] Patent Number: **Des. 329,913**

Fleming, Jr. et al.

[45] Date of Patent: **** Sep. 29, 1992**

[54] **TRANSLUCENT BLOCK**

[75] Inventors: **Harry A. Fleming, Jr.**, Smethport, Pa.; **Donald E. Hock**, Olean, N.Y.

[73] Assignee: **Pittsburgh Corning Corporation**, Pittsburgh, Pa.

[**] Term: **14 Years**

[21] Appl. No.: **627,968**

[22] Filed: **Dec. 14, 1990**

[52] U.S. Cl. **D25/103**

[58] Field of Search **D25/103, 113-118; 52/306-308**

| | | | |
|-----------|---------|---------------------|--------|
| 2,333,723 | 11/1943 | Jordan | 72/37 |
| 2,355,262 | 8/1944 | Blau | 88/59 |
| 2,714,816 | 8/1955 | Pennell | 72/41 |
| 2,724,260 | 11/1955 | D'Eustachio | 72/35 |
| 2,975,853 | 3/1961 | Friend | 181/33 |
| 3,396,504 | 8/1968 | DeOliveira | 52/575 |
| 3,798,861 | 3/1974 | Weiss | 52/306 |
| 4,023,319 | 5/1977 | Kurata | 52/308 |
| 4,537,001 | 8/1985 | Uppstrom | 52/311 |
| 4,572,699 | 2/1986 | Rinninger | 404/42 |
| 4,636,413 | 1/1987 | Wittman et al. | 428/33 |
| 4,648,226 | 3/1987 | Manon | 52/308 |
| 4,651,486 | 3/1987 | Erickson et al. | 52/306 |
| 4,719,735 | 1/1988 | Fleming, Jr. et al. | 52/306 |
| 4,753,622 | 6/1988 | Nakama | 446/85 |
| 4,852,321 | 8/1989 | Fleming, Jr. et al. | 52/306 |

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|------------------|---------------|
| D. 85,320 | 10/1931 | Bowman | . |
| D. 109,025 | 3/1938 | Perkins | . |
| D. 114,085 | 4/1939 | Lockart | . |
| D. 114,086 | 4/1939 | Lockart | . |
| D. 193,392 | 8/1962 | Kingsbury | D18/2 |
| D. 196,971 | 11/1963 | Virkkala | D18/2 |
| D. 198,626 | 7/1964 | Lockart et al. | D18/2 |
| D. 210,372 | 3/1968 | Behnk et al. | D18/2 |
| D. 210,373 | 3/1968 | Behnk et al. | D18/2 |
| D. 217,924 | 6/1970 | Hagen et al. | D48/16 |
| D. 241,429 | 9/1976 | Michaelis | . |
| D. 250,635 | 12/1981 | McLean | . |
| D. 293,477 | 12/1987 | Pirosko et al. | D25/108 |
| 298,418 | 5/1984 | Shaw | . |
| 402,073 | 4/1989 | Falconnier | . |
| 758,973 | 5/1904 | Kaye | . |
| 827,464 | 7/1906 | Pedrick | . |
| 1,425,102 | 8/1922 | Keppler | . |
| 1,855,987 | 4/1932 | Rammer | . |
| 1,994,387 | 3/1935 | Despret | 72/41 |
| 2,086,185 | 7/1937 | Keaney | 72/41 |
| 2,110,885 | 3/1938 | Lytle | 72/41 |
| 2,110,900 | 3/1938 | Zimmerman et al. | 72/41 |
| 2,115,264 | 4/1938 | Henderson | 72/41 |
| 2,115,513 | 4/1938 | Bauer | 72/41 |
| 2,226,220 | 12/1940 | Cox | 72/41 |
| 2,281,272 | 4/1942 | Knudsen | 52/307 |
| 2,281,524 | 4/1942 | Meyers | 72/42 |
| 2,306,320 | 12/1942 | Rapp | 94/28 |
| 2,322,591 | 6/1943 | Rapp | 88/60 |

FOREIGN PATENT DOCUMENTS

| | | | |
|--------|---------|----------------|---|
| 567594 | 3/1958 | Belgium | . |
| 848079 | of 0000 | France | . |
| 470835 | 11/1935 | United Kingdom | . |

OTHER PUBLICATIONS

"PC Glass Block Panels, Walls, Windows, Exterior and Interior Application" published by Pittsburgh Corning Corporation in Dec., 1983.

"Glass Block by Pittsburgh Corning Exterior and Interior Applications" published by Pittsburgh Corning Corporation in Mar., 1978.

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris Clark

Attorney, Agent, or Firm—Stanley J. Price, Jr.

[57] **CLAIM**

The ornamental design for a translucent block, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a translucent block showing our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a left side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8