



US00D329985S

United States Patent [19]

[11] Patent Number: **Des. 329,985**

Takashima

[45] Date of Patent: **** Oct. 6, 1992**

[54] **TRAVEL ALARM CLOCK**

[75] Inventor: **Asao Takashima, Tokyo, Japan**

[73] Assignee: **Seikosha Co., Ltd., Japan**

[**] Term: **14 Years**

[21] Appl. No.: **580,501**

[22] Filed: **Sep. 11, 1990**

[52] U.S. Cl. **D10/28**

[58] Field of Search **D10/1-40, D10/122-132; 368/232, 276-277, 280-282, 285**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 104,046 4/1937 Rainbault D10/28
- D. 315,686 3/1991 Imai D10/28
- D. 318,019 7/1991 van Lelveld D10/18
- D. 318,624 7/1991 Dumas D10/18 X
- D. 321,662 11/1991 Wada D10/18
- D. 321,663 11/1991 Tanaka D10/18


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a travel alarm clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a travel alarm clock with the lid open showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a front elevational view thereof with the lid closed;
 FIG. 8 is a rear elevational view thereof with the lid closed;
 FIG. 9 is a top plan view thereof with the lid closed;
 FIG. 10 is a bottom plan view thereof with the lid closed;
 FIG. 11 is a left side elevational view thereof with the lid closed; and,
 FIG. 12 is a right side elevational view thereof with the lid closed.






FIG. 1




FIG. 6




FIG. 2




FIG. 5




FIG. 3




FIG. 4




FIG. 7




FIG. 12




FIG. 8




FIG. 11




FIG. 9




FIG. 10