



US00D330006S

United States Patent [19]

[11] Patent Number: **Des. 330,006**

Kamakura et al.

[45] Date of Patent: **** Oct. 6, 1992**

[54] **OPTICAL RECEIVER/TRANSMITTER MODULE**

4,766,520 8/1988 Huber et al. 361/395 X
4,858,071 8/1989 Manabe et al. 361/395 X

[75] Inventors: **Mitsutoshi Kamakura; Hisao Go; Osamu Akita; Kazuhiro Tanida**, all of Yokohama, Japan

OTHER PUBLICATIONS

AT&T ODL 02X lightwave transceiver shown in Sep. 1986 Preliminary Data Sheet. Copy located in examiner's office.

[73] Assignee: **Sumitomo Electric Industries, Ltd.**, Osaka, Japan

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **593,623**

The ornamental design for an optical receiver/transmitter module, as shown.

[22] Filed: **Oct. 5, 1990**

[30] Foreign Application Priority Data

DESCRIPTION

Apr. 5, 1990 [JP] Japan 2-11580
[52] U.S. Cl. **D13/123; D13/133**
[58] Field of Search D13/123, 133, 147;
439/55, 329, 924; 250/227.11, 227.24, 239, 551,
555; 361/395

FIG. 1 is a perspective view from the front, top and right side of an optical receiver/transmitter module showing our new design;
FIG. 2 is a perspective view from the rear, top and left side thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a left elevational view thereof; and,
FIG. 8 is a perspective view from the rear, bottom and left side thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 235,553 6/1975 Kunkle D13/147
D. 293,313 12/1987 Justiano et al. D13/133
D. 314,747 2/1991 Centola et al. D13/133
4,531,176 7/1985 Beecher, II 361/395 X





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

