



US00D330187S

United States Patent [19]

Shimoo et al.

[11] Patent Number: **Des. 330,187**

[45] Date of Patent: **** Oct. 13, 1992**

[54] BATTERY CHARGER

[75] Inventors: **Kuniyuki Shimoo**, Hyogo; **Kazuo Takada**, Nara, both of Japan

[73] Assignee: **Sanyo Electric Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **621,555**

[22] Filed: **Nov. 29, 1990**

[30] Foreign Application Priority Data

May 29, 1990 [JP] Japan 2-18147

[52] U.S. Cl. **D13/107**

[58] Field of Search D13/107, 108; 320/2, 320/3

[56] References Cited

U.S. PATENT DOCUMENTS

D. 291,300 8/1987 Chaney D13/107

D. 311,897 11/1990 Moore et al. D13/107

D. 321,168 10/1991 Usami D13/107

5,057,761 10/1991 Felegyhazi, Sr. 320/2

FOREIGN PATENT DOCUMENTS

2028022 2/1980 United Kingdom 320/2

OTHER PUBLICATIONS

Realistic, DX-65 radio on p. 81 of *Radio Shack 1987 Catalog*.

Sing-A-Long radio on p. 106 of *Radio Shack 1987 Catalog*.

Primary Examiner—Susan J. Lucas

Assistant Examiner—Joel Sincavage

Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front and upper right perspective view of a battery charger showing our new design;

FIG. 2 is a front and upper right perspective view of battery charger showing our new design with the cover open and the power cord removed from its storage position;

FIG. 3 is a front elevational view of a battery charger showing our new design with a power cord in its storage position;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a left side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7

