



US00D330339S

United States Patent [19]

Roselle et al.

[11] Patent Number: **Des. 330,339**

[45] Date of Patent: **** Oct. 20, 1992**

[54] **MOTION DETECTING ALARM**

[76] Inventors: **Joseph Roselle**, 75 Railroad St.,
Huntington Station, N.Y. 11746;
Michael Maloney, P.O. Box 431,
Glen Head, N.Y. 11746; **Jean
McIntosh**, 8 Cliftwood Dr.,
Huntington, N.Y. 11743

4,293,852	10/1981	Rogers .	
4,418,337	11/1983	Bader	340/571
4,438,428	3/1984	Ober et al.	340/541
4,633,232	12/1986	Nelson et al.	340/571
4,716,401	12/1987	Wohlford .	
4,899,132	2/1991	Stobble et al.	340/551

[**] Term: **14 Years**

[21] Appl. No.: **564,295**

[22] Filed: **Aug. 8, 1990**

[52] U.S. Cl. **D10/106**

[58] Field of Search **D10/104, 106, 121;**
340/541, 542, 543, 544, 545, 546, 547, 551, 689,
571

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275.375	9/1984	Schwartz	D10/106
3,710.372	1/1973	Anderson .	


Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a motion detecting alarm, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a motion detecting alarm showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof, with the opposite side being a mirror image;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.






FIG. 1.




FIG. 4.




FIG. 2.




FIG. 3.




FIG. 5.




FIG. 6.