



US00D330364S

# United States Patent [19]

[11] Patent Number: **Des. 330,364**

Trinkle

[45] Date of Patent: **\*\* Oct. 20, 1992**

## [54] BATTERY CHARGER WITH A RETRACTABLE EXTENSION CABLE

[76] Inventor: **Jeffery L. Trinkle**, Rte. 1, Box 148, Wheatfield, Ind. 46392

[\*\*] Term: **14 Years**

[21] Appl. No.: **600,066**

[22] Filed: **Oct. 19, 1990**

[52] U.S. Cl. .... **D13/107; D13/140**

[58] Field of Search ..... **D13/107, 108, 140; D11/95; 136/135, 173; 320/2, 3; 191/12.2 R; 242/107.7**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 309,892	8/1990	Troup	.....	D13/107
848,167	3/1907	Gowan	.....	242/107.7
2,979,576	4/1961	Huber	.....	242/107.7 X
3,337,695	8/1967	Brown	.....	439/503 X
3,853,285	12/1974	Woodring	.....	439/504 X
4,006,952	2/1977	Puckett	.....	439/35 X
4,829,223	5/1989	Broberg et al.	.....	320/2
4,946,010	8/1990	Di Bono	.....	191/12.2 R

## OTHER PUBLICATIONS

Battery charger on p. 28 of *Chris Craft 1971 Catalog*.  
Route marker symbol on p. 181 of *Symbol Sourcebook*  
by Henry Dryfuss, Copyright 1972.

Booster cables on p. 149 of *Hong Kong Enterprise*, Oct, 1989.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—J. Sincavage

*Attorney, Agent, or Firm*—Leon Gilden

## [57] CLAIM

The ornamental design for a battery charger with a retractable extension cable, as shown and described.

## DESCRIPTION

FIG. 1 is a front elevational view of the battery charger with a retractable extension cable showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view of the battery charger with a retractable extension cord shown on a reduced scale;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof shown on a slightly enlarged scale; and,

FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

