



US00D330442S

United States Patent [19]

Fukazawa

[11] Patent Number: Des. 330,442

[45] Date of Patent: ** Oct. 20, 1992

[54] COMBINED COSMETIC APPLICATOR AND CAP

[75] Inventor: Kiyohiko Fukazawa, Machida, Japan

[73] Assignee: Mitsubishi Pencil Co., Ltd., Tokyo, Japan

[*] Notice: The portion of the term of this patent subsequent to Feb. 27, 2004 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 501,656

[22] Filed: Mar. 29, 1990

[30] Foreign Application Priority Data

Jan. 19, 1990 [JP] Japan 2-1203

[52] U.S. Cl. D28/7; D4/116

[58] Field of Search D28/7, 9; D9/337, 338, D9/301; D4/114, 116; D19/41, 45, 48, 51; 132/320, 317, 218; 401/195, 269; 206/229, 385, 581, 823, 361

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 293,858 1/1988 Tarrson et al. D4/108 X
- D. 293,942 1/1988 White D28/76
- D. 304,840 11/1989 Mitzutani et al. D19/43
- D. 306,355 2/1990 Shinohara D28/7
- 980,678 1/1911 Roche 401/269
- 4,966,175 10/1990 Kimura et al. 132/112

Primary Examiner—Bernard Ansher
Assistant Examiner—C. Tuttle

[57] CLAIM

The ornamental design for a combined cosmetic applicator and cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined cosmetic applicator and cap showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view of the applicator, shown with the cap element removed for clarity of illustration; FIG. 8 is a front elevational view thereof; FIG. 9 is a rear elevational view thereof; FIG. 10 is a right side elevational view thereof; FIG. 11 is a top plan view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a front elevational view of the cap element, shown separately for clarity of illustration; FIG. 14 is a rear elevational view thereof; FIG. 15 is a top plan view thereof; FIG. 16 is a bottom plan view thereof; and, FIG. 17 is a front elevational view of the assembled article, the side opposite being a mirror image of the side shown.

The continuous vertical lines on the cap and elongate portion of the container body represent a striated surface.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

