



US00D330533S

# United States Patent [19]

[11] Patent Number: **Des. 330,533**

Orth, Sr. et al.

[45] Date of Patent: **\*\* Oct. 27, 1992**

[54] **TRUCK VISOR**

[75] Inventors: **Robert J. Orth, Sr., Richardson;**  
**Richard R. Nesbitt, Arlington, both**  
**of Tex.**

2,777,732 1/1957 Walsh ..... 296/91  
4,412,698 11/1983 Kingsley ..... 296/95.1  
4,726,619 2/1988 Haugstad ..... 296/95.1  
4,758,040 7/1988 Kingsley ..... 296/95.1  
4,842,320 6/1989 Kingsley ..... 296/95.1

[73] Assignee: **Go Industries, Inc., Richardson, Tex.**

**FOREIGN PATENT DOCUMENTS**

[\*\*] Term: **14 Years**

829154 2/1960 United Kingdom ..... 296/95.1

[21] Appl. No.: **662,796**

**OTHER PUBLICATIONS**

[22] Filed: **Feb. 28, 1991**

*Hot Rod Magazine*, Aug. 1975, p. 96, Visor on Dodec Van, bottom of page.

[52] U.S. Cl. .... **D12/191**

[58] Field of Search ..... **D12/191; 296/95.1;**  
**160/370.2, DIG. 3**

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Richard L. Schwartz

[56] **References Cited**

[57] **CLAIM**


**U.S. PATENT DOCUMENTS**

The ornamental design for a truck visor, as shown and described.

D. 85,241	9/1931	Henderson	.....	D12/191
D. 157,555	3/1950	Abrams	.....	D12/191
D. 159,144	6/1950	Dieterich	.....	D12/191
D. 239,705	4/1976	Lund	.....	D12/191
D. 252,680	8/1979	Kingsley	.....	D12/191
D. 261,150	10/1981	Butler	.....	D12/191
D. 273,672	5/1984	Lund	.....	D12/191
D. 283,611	4/1986	Kingsley	.....	D12/191
D. 288,309	2/1987	Lund	.....	D12/191
D. 288,310	2/1987	Lund	.....	D12/191
D. 291,295	8/1987	Lund	.....	D12/191
D. 301,028	5/1989	Buck	.....	D12/191
D. 301,450	6/1989	Kingsley	.....	D12/191
D. 303,239	9/1989	Gempel	.....	D12/191
D. 303,948	10/1989	Bonstead et al.	.....	D12/191
D. 312,238	11/1990	Lund	.....	D12/191
D. 319,209	8/1991	Miller et al.	.....	D12/191
2,566,934	9/1951	Dieterich	.....	296/95.1

**DESCRIPTION**

FIG. 1 is a perspective view of a truck visor showing our new design, it being understood that the broken lines are for illustrative purposes only to illustrate the environment in which the visor will be used an form no part of the claimed design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a side elevational view thereof;  
FIG. 7 is a vertical sectional view taken substantially along line 7—7 of FIG. 4; and,  
FIG. 8 is a vertical sectional view taken substantially along the line 8—8 of FIG. 4.






FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8