



US00D330849S

United States Patent [19]

Stubbersfield et al.

[11] Patent Number: **Des. 330,849**

[45] Date of Patent: **** Nov. 10, 1992**

[54] **INSULATOR PIN**

[75] Inventors: **Edgar M. Stubbersfield; Alan R. Muller**, both of Gatton, Australia

[73] Assignee: **Vanbrace Pty Ltd**, Gatton, Australia

[**] Term: **14 Years**

[21] Appl. No.: **484,627**

[22] Filed: **Feb. 26, 1990**

[30] **Foreign Application Priority Data**

Sep. 25, 1989 [AU] Australia 3118/89

[52] U.S. Cl. **D8/364; D13/129**

[58] Field of Search **D13/129, 154; D8/363, D8/364, 373, 380; 248/220.1, 220.2; 174/154, 158 R, 160, 194**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 21,454 4/1892 Wirt D8/364

D. 30,278 2/1899 Nygaard D8/380
2,037,736 4/1936 Payne et al. D8/380 X
3,494,582 3/1970 Nemeth 174/158 R


Primary Examiner—Wallace R. Burke
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Kimmel, Crowell & Weaver

[57] **CLAIM**

The ornamental design for an insulator pin, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an insulator pin showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a front and upper left perspective view thereof shown on an enlarged scale.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.