



US00D331114S

United States Patent [19]

[11] Patent Number: **Des. 331,114**

Stacey

[45] Date of Patent: **** Nov. 17, 1992**

[54] **HEARING SCREENING DEVICE**

[76] Inventor: **James W. Stacey**, 3211 Taylor Ave., Ogden, Utah 84403

[**] Term: **14 Years**

[21] Appl. No.: **387,104**

[22] Filed: **Jul. 31, 1989**

[52] U.S. Cl. **D24/173**

[58] Field of Search **D24/173; D99/34; 128/746; 73/585; D20/7; 381/58; 364/415**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 165,809	1/1952	Wheeler	D20/7	X
D. 299,058	12/1988	Voroba et al.	D24/173	
3,000,271	9/1961	Harvey et al.	128/746	X
4,515,169	5/1985	Ward	73/585	X
4,556,069	12/1985	Dalton, Jr. et al.	128/746	
4,759,070	7/1988	Voroba et al.	128/746	X

Primary Examiner—Donald P. Walsh
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—A. Ray Osburn


[57] **CLAIM**

The ornamental design of a hearing screening device, as shown and described.

DESCRIPTION

FIG. 1 is a right, front perspective view of a hearing screening device, showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a top plan view thereof.

The broken line showing of portions of a support stand and merchant display rack in FIGS. 2-6, a brochure receptacle in FIGS. 2, 3, and 5, and earphone set in FIGS. 2, 3, and 4 is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 4




FIG. 3




FIG. 2




FIG. 5




FIG. 7




FIG. 6