



US00D331143S

United States Patent [19]

[11] Patent Number: **Des. 331,143**

McDonald

[45] Date of Patent: **** Nov. 24, 1992**

[54] SHOE MIDSOLE PERIPHERY

OTHER PUBLICATIONS

[75] Inventor: **Steven C. McDonald, Portland, Oreg.**

NIKE Footwear Catalogue, Spring 1989 (published Jun. 1988), pp. 28, 30, 32, 40.

[73] Assignee: **Nike, Inc., Beaverton, Oreg.**

NIKE Footwear Catalogue, Fall 1989 (published Jan. 1989), pp. 22, 24, 26, 30.

[**] Term: **14 Years**

NIKE Footwear Catalogue, Spring 1990 (published Jun. 1989), pp. 26, 28.

[21] Appl. No.: **806,415**

NIKE Footwear Catalogue, Fall 1990 (published Jan. 1990), p. 30.

[22] Filed: **Dec. 13, 1991**

NIKE Footwear Catalogue, Spring 1991 (published Jun. 1990), p. 32.

[52] U.S. Cl. **D2/314; D2/318**

NIKE Footwear Catalogue, Fall 1991 (published Jan. 1991), pp. 32, 34, 38 and 146.

[58] Field of Search **D2/264, 265, 314, 309, D2/317-323; 36/25 R, 28, 29, 32 R, 43-45, 83, 84, 137, 101-107, 114, 132, 136**

Primary Examiner—Louis S. Zarfaz
Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[56] References Cited

[57] CLAIM

U.S. PATENT DOCUMENTS

The ornamental design for a shoe midsole periphery, as shown and described.

| | | | | |
|------------|---------|---------------|-------|---------|
| D. 249,748 | 10/1978 | Kitamura | | D2/309 |
| D. 261,446 | 10/1981 | Schmohl | | D2/309 |
| D. 265,437 | 7/1982 | Vermonet | | D2/309 |
| D. 270,870 | 10/1983 | Tilles | | D2/309 |
| D. 283,463 | 4/1986 | Chassaing | | D2/310 |
| D. 307,664 | 5/1990 | Kiyosawa | | D2/320 |
| D. 310,442 | 9/1990 | Hatfield | | D2/314 |
| D. 311,447 | 10/1990 | Hatfield | | D2/320 |
| D. 311,810 | 11/1990 | Hatfield | | D2/320 |
| D. 311,989 | 11/1990 | Parker | | D2/319 |
| D. 313,113 | 12/1990 | Aveni | | D2/320 |
| D. 316,324 | 4/1991 | Rogers | | D2/320 |
| D. 316,626 | 5/1991 | Hatfield | | D2/320 |
| D. 317,828 | 7/1991 | Rogers | | D2/320 |
| D. 321,585 | 11/1991 | Rogers | | D2/314 |
| D. 321,776 | 11/1991 | Hatfield | | D2/314 |
| D. 321,973 | 12/1991 | Hatfield | | D2/320 |
| D. 322,711 | 12/1991 | Hatfield | | D2/314 |
| D. 323,418 | 1/1992 | Hatfield | | D2/314 |
| D. 323,423 | 1/1992 | Rogers | | D2/320 |
| D. 323,735 | 2/1992 | Aveni | | D2/314 |
| 4,785,557 | 11/1988 | Kelley et al. | | 36/32 R |

DESCRIPTION

FIG. 1 is a right side elevational view of a shoe midsole periphery showing my new design;
 FIG. 2 is a left side elevational view of the midsole shown FIG. 1;
 FIG. 3 is a front elevational view of the midsole shown in FIG. 1;
 FIG. 4 is a rear elevational view of the midsole shown in FIG. 1;
 FIG. 5 is a cross-sectional view taken along the line 5—5 shown in FIG. 1;
 FIG. 6 is a cross-sectional view taken along the line 6—6 shown in FIG. 1;
 FIG. 7 is a cross-sectional view taken along the line 7—7 shown in FIG. 1; and,
 FIG. 8 is a cross-sectional view taken along the line 8—8 shown in FIG. 1.
 The broken line showing of a shoe upper in FIGS. 1-4 is for illustrative purposes only and forms no part of the claimed design.





FIG. 1






FIG. 2

FIG. 4




FIG. 3




FIG. 8



FIG. 7



FIG. 6



FIG. 5

