



US00D331145S

United States Patent [19]

[11] Patent Number: **Des. 331,145**

Cheng

[45] Date of Patent: **** Nov. 24, 1992**

[54] **SHOE UPPER**

[76] Inventor: **James J. K. Cheng**, P.O. Box 505, La Puente, Calif. 91747-0505

[**] Term: **14 Years**

[21] Appl. No.: **843,971**

[22] Filed: **Feb. 28, 1992**

[52] U.S. Cl. **D2/314; D2/272**

[58] Field of Search **D2/264, 265, 272, 275, D2/308-314; 36/45, 50, 83, 84, 89, 101-107, 112-114, 132, 136**

D. 325,120	4/1992	Clark	D2/314
D. 325,287	4/1992	Strauss	D2/312
D. 325,813	5/1992	Kittle	D2/272 X
4,391,049	7/1983	Parisotto	36/114
4,644,673	2/1987	Gamm	36/136
4,766,681	8/1988	O'Rourke et al.	36/89
4,769,927	9/1988	Liggett et al.	36/114 X
4,776,111	10/1988	Crowley	36/89
4,947,560	8/1990	Fuerst et al.	36/114 X

Primary Examiner—Louis S. Zarfaz
Attorney, Agent, or Firm—Christie, Parker & Hale

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 113,964	3/1939	Craver .	
D. 291,384	8/1987	Campbell et al.	D2/309
D. 292,945	12/1987	Selbiger et al.	D2/314
D. 294,654	3/1988	Liggett et al. .	
D. 294,766	3/1988	Igoe	D2/309
D. 294,767	3/1988	Igoe	D2/309
D. 295,341	4/1988	Liggett et al. .	
D. 295,916	5/1988	Selbiger .	
D. 296,381	6/1988	Selbiger .	
D. 297,181	8/1988	Selbiger et al. .	
D. 297,590	9/1988	Selbiger .	
D. 297,883	10/1988	Mourad .	
D. 298,082	10/1988	Selbiger et al. .	
D. 300,981	5/1989	Gerber et al. .	
D. 302,486	8/1989	Brown et al. .	
D. 303,452	9/1989	Swett	D2/272
D. 306,514	3/1990	Backus .	
D. 307,508	5/1990	Miller et al. .	
D. 308,746	6/1990	McKinstry .	
D. 309,824	8/1990	Aveni et al. .	
D. 311,092	10/1990	Hatfield	D2/314
D. 312,916	12/1990	Hatfield	D2/314
D. 315,055	3/1991	Rogers et al.	D2/314
D. 315,389	3/1991	Spence	D2/314
D. 316,624	5/1991	Hatfield et al.	D2/314
D. 317,224	6/1991	Lucas	D2/314
D. 317,825	7/1991	Rogers	D2/314
D. 318,364	7/1991	McCrea	D2/314
D. 318,945	8/1991	Hatfield	D2/314
D. 319,721	9/1991	Clark	D2/314
D. 319,723	9/1991	Greene	D2/314
D. 321,586	11/1991	Aveni	D2/314

[57] **CLAIM**


The ornamental design for a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a shoe upper showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a right side elevational view of a shoe upper showing another embodiment of my new design;
 FIG. 7 is a left side elevational view thereof;
 FIG. 8 is a top plan view thereof;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a right side elevational view of a shoe upper showing still another embodiment of my new design;
 FIG. 12 is a left side elevational view thereof;
 FIG. 13 is a top plan view thereof;
 FIG. 14 is a front elevational view thereof;
 FIG. 15 is a rear elevational view thereof;
 FIG. 16 is a right side elevational view thereof of a shoe upper showing yet another embodiment of my new design;
 FIG. 17 is a left side elevational view thereof;
 FIG. 18 is a top plan view thereof;
 FIG. 19 is a front elevational view thereof; and,
 FIG. 20 is a rear elevational view thereof.
 The broken line drawing of a shoe sole in FIGS. 1-20 is for illustrative purposes only and forms no part of the claimed design.



Fig. 1






Fig. 2

Fig. 3




Fig. 4




Fig. 5





Fig. 6






Fig. 1

Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20

