



US00D331579S

# United States Patent [19]

Iwasaki et al.

[11] Patent Number: **Des. 331,579**

[45] Date of Patent: **\*\* Dec. 8, 1992**

[54] **FACSIMILE TRANSCEIVER**

[75] Inventors: **Morio Iwasaki, Kanagawa; Junichi Ogawa, Saitama; Hajime Takayama; Hiroshi Okano, both of Kanagawa, all of Japan**

[73] Assignee: **Matsushita Graphic Communication Systems, Inc., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **684,542**

[22] Filed: **Apr. 11, 1991**

[30] **Foreign Application Priority Data**

Oct. 19, 1990 [JP]	Japan	2-35170
[52] U.S. Cl.		<b>D14/118</b>
[58] Field of Search		D14/118, 124, 299; D18/36, 37; 358/400, 401

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 312,455	11/1990	Takayama et al.	.....	D14/118
D. 314,957	2/1991	Tsukada	.....	D14/118
D. 315,152	3/1991	Takayama et al.	.....	D14/118
D. 315,341	3/1991	Komatsu	.....	D14/118
D. 315,555	3/1991	Komatsu	.....	D14/118

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and left side perspective view of a facsimile transceiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a rear elevational view thereof; and, FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

