



US00D331579S

# United States Patent [19]

Iwasaki et al.

[11] Patent Number: **Des. 331,579**

[45] Date of Patent: **\*\* Dec. 8, 1992**

[54] **FACSIMILE TRANSCEIVER**

[75] Inventors: **Morio Iwasaki, Kanagawa; Junichi Ogawa, Saitama; Hajime Takayama; Hiroshi Okano, both of Kanagawa, all of Japan**

[73] Assignee: **Matsushita Graphic Communication Systems, Inc., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **684,542**

[22] Filed: **Apr. 11, 1991**

[30] **Foreign Application Priority Data**

Oct. 19, 1990 [JP] Japan ..... 2-35170  
[52] U.S. Cl. .... **D14/118**  
[58] Field of Search ..... D14/118, 124, 299;  
D18/36, 37; 358/400, 401

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 312,455 11/1990 Takayama et al. .... D14/118  
D. 314,957 2/1991 Tsukada ..... D14/118  
D. 315,152 3/1991 Takayama et al. .... D14/118  
D. 315,341 3/1991 Komatsu ..... D14/118  
D. 315,555 3/1991 Komatsu ..... D14/118

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn,  
Macpeak & Seas

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and left side perspective view of a facsimile transceiver showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a rear elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

