



US00D331624S

United States Patent [19]

[11] Patent Number: **Des. 331,624**

Yoshida et al.

[45] Date of Patent: **** Dec. 8, 1992**

[54] **FIN FOR USE IN A FIN AND TUBE HEAT EXCHANGER IN AN AIR CONDITIONER**

[75] Inventors: **Takayuki Yoshida; Tomohumi Tezuka**, both of Shizuoka; **Masao Huzii**, Amagasaki, all of Japan

[73] Assignee: **Mitsubishi Denki Kabushiki Kaisha**, Tokyo, Japan

[*] Notice: The portion of the term of this patent subsequent to Sep. 8, 2006 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **314,838**

[22] Filed: **Feb. 24, 1989**

[30] **Foreign Application Priority Data**

Oct. 24, 1988 [JP] Japan 63-41702

[52] U.S. Cl. **D23/386; D23/323**

[58] Field of Search **D23/323, 499, 386, 354; 165/150, 182**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 221,853 9/1971 Kimura D23/386

D. 302,853	8/1989	Takahashi et al.	D23/386
D. 317,500	6/1991	Ueda	D23/386
2,977,918	4/1961	Fritzer	165/150
4,709,753	12/1987	Reifel	165/182
4,723,600	2/1988	Yokoyama et al.	165/150
4,832,117	5/1989	Kato et al.	165/182



Primary Examiner—Wallace R. Burke
Assistant Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a fin for use in a fin and tube heat exchanger in an air conditioner, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a fin for use in a fin and tube heat exchanger in an air conditioner, showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a top plan view thereof, the bottom being a mirror image of that shown; and,
FIG. 6 is a cross-sectional view thereof taken on line 6—6 of FIG. 1.






FIG. 1



FIG. 3



FIG. 4




FIG. 2



FIG. 5



FIG. 6